

Electronics

SEE ATTACHED BROCHURES FOR
THE FOLLOWING BRANDS

GME



EPIRBS 406 MHZ



LOWRANCE



ELECTRICAL

AM/FM Radios

- 5014 AM/FM Seamaster Aerial
- 5015 AM/FM GME Stereo system
- 5016 AM/FM GME Stereo speakers
- 5017 AM/FM Amplified Antenna
- 5027 Flush mount kit GME
- 5027A Waterproof housing for stereo

ELECTRIC PARTS


Windscreen Wipers Medium Duty

2895 Powder Coated 12 Volt waterproof cover

2895A Spare Blades

2895B Spare Arm

2895C Hook on Blades



Windscreen Wipers Heavy Duty


2997 2 Speed Self parking has adjustable sweep angle. 12 volt.

2997A Spare Arm

2997B Spare Blade

2997C 24 Volt Model

2997D AFI Extra Heavy Duty Waterproof Wiper Motor. Self parking with adjustable sweep.



Cigarette Lighter S/S

2892 With built in mini chart light.



Sutars Flush Socket

2350 Plastic 27mm hole

2351 Round Flush

2352 Compact Socket

2353 Cig Socket


2355 Cig Male

Totally non-corrosive,

UV stabilised black

Plastic. Suit 12 or 24

Volt up to 16 amp.



Deck Connectors Waterproof

2887 2 Pin connector

2887A Plug only


2888 3 Pin connector

2889 4 Pin connector

Chrome plated brass elect.

Plug & Sockets

12 or 24 volt



Plug and Socket

2886 2 Pin Waterproof

2886A 2 Pin Plug Only

Flush mount power

12 or 24 Volt.



Waterproof Cable Thru Deck

2896 7mm Hole

2897 12mm Hole

For a watertight seal when cables are going through deck or bulkhead



ELECTRIC PARTS

Horn/Starter Buttons

- 2957 Horn/Starter Button 12 or 24 volt 25amp
- 2957W Waterproof Horn Button 12 or 24 volt 8amp
- BM608 Momentary Switch



2 & 3 Position Switches

- 2955 2 Position Switch
 - 2956 3 Position Switch
- Brass push – pull
Switch 12 or 24 Volt
25 Amp



Toggle Switches

- 2959 Plastic Toggle with on / off sign. 2 position. 12 or 24 Volt 15 Amp
- 2960 Waterproof Rubber Toggle 2 Position switch. 12 or 24 Volt 15 Amp
- 2960A Rubber Cover Only
- 2961 Metal Toggle
Chrome plated brass



BEP ELECTRICAL
Product available on request

Ignition Switch

- SMP39760 Ignition switch
- 2958 Keyed Ignition Switch
All brass construction
12 Volt 20 Amp



Isolation Switch

- 2965 Keyed Isolation Switch
Simply turn the key and remove to isolate. 500 amp
- 2965A Key Only
- 2965B Mini Isolator Switch Twist knob style. Made from non-corrosive materials. 350 amp
- 2965C Mini Isolator Switch
Removable key style.
- 2968B 4 Pole Battery Isolator



Battery Selection Switch

- 2966 -230 Amp Momentary
-150 Amp Continuous at 12V
- 2967 -350 Amp Momentary
-230 Amp Continuous at 12V
Key Lockable
- 2968 -300 Amp Momentary
-175 Amp Continuous at 12V



ELECTRIC PARTS

Master Battery Terminal

- 2978 Brass Terminal with a quick release knob.



Battery Terminals

- 2310 Marine Terminals
2311B Blister packs with 1 positive & 1 negative terminal
2311 Brass Heavy Duty



Battery Terminal Covers To Suit

- 2335 Positive (Red)
2336 Negative (Black)

Battery Cable Lugs


- BL22-10/8.5 10mm hole x 7.8-8.5 wire
BLOS 25-8/7.0 8mm hole x 5.9-7.0 wire
BLOS 35-8/8.5 8mm hole x 7.8-8.5 wire
BLOS 50-8/10.5 8mm hole x 9.5-10.5 wire

Many other sizes available



Battery Boxes

| Inside Dimension | L | X | W | X | H |
|------------------|-------------|-----------|---|-----|-------|
| 2973 | Small | 290 | X | 195 | X 195 |
| 2974 | Large | 345 | X | 195 | X 220 |
| 2974A | X large | 385 | X | 180 | X 195 |
| 2974B | Spare Strap | 1.3 Metre | | | |
| 2975 | Spare Strap | 1 Metre | | | |



Power Battery Box

2973A Battery Box with external terminals, circuit breaker, accessory socket, battery condition indicator, carrying handle and impact resistant case.



Battery Clamps

- 2971 Plastic Battery Clamp
29712A Standard S/S Battery Clamp



ELECTRIC PARTS

Battery Conditioner

- 2499 **Inox Conditioner**
For instant starting. Stops battery failure. Rapid power recovery and recharge. Double life expectancy for new batteries.




Aluminium Switch Panel Illuminated Switches

- 2969 Three Switch
2970 Six Switch
2970A Fuse Holder
2970B Rocker Switch



Ignition Kill Switch

- 2894 **Ignition Kill Switch**
Switch pulls apart and cuts the ignition if the driver is thrown overboard.



Switch Panel With Circuit Breakers

- 2979 Six Plastic Switch with Thermal Circuit Breakers
2979A Spare Circuit Breaker Button
2970B Spare Rocker Switch




3 Switch Panel

- 2963 Three Switch Panels With Fuses.
2964 Fuse Holder to suit 2963, 2962, 2963A

6 Switch Panel

- 2962 Six Metal Switch Panels With Fuses
2962A Spare Switch
2963A Four Metal Switch Panel



Splashproof Compact Panels

- 5020 Four Switch Splashproof
5021 Six Switch Splashproof
5022 Six Switch Splashproof with Red LED indicator Light
5020A Spare Labels

All above switch panels are both 12 or 24 volt and have 15 amp blade style fuses.



ELECTRIC PARTS

BEP Slashproof Panels

- 5018 Six Switch Panel
- 5019 Six Switch Panel Fused




Plastic covers over aluminium casing. Toggle switches have rubber covers.

Wedge Fuses

- 2364 3 Amp
- 2365 5 Amp
- 2368 10Amp
- 2369 15Amp
- 2370 20Amp



FUSE BLOCKS & BUS BARS



- 2976 Four Fuse
- 2977 Six Fuse
- 8289 Terminal Block 8 Gang
- 8293 Bus bar 2 stud 5 screw
- 8294 Bus bar 4 stud
- 8295 Bus bar 6 stud 30 amp
- 8290 Distribution Stud
- 8296 Power Stud
- 8297 Power Stud 30amp

Cable Ties Per 100

- 2314 4 Inch
- 2315 6 Inch
- 2316 8 Inch
- 2317 10 Inch
- 2318 12 Inch
- 2318A 14 Inch
- 2319 8 Inch Screw Mount Black
- 2319A 8 Inch Screw Mount Nat.



Tie Mounts

- 2313 28mm X 28mm



Fuse Holders

- 2379 plastic Fuse Holder
- 2380 Brylite Fuse Holder
- 2378 waterproof Fuse Holder
- 2377 wedge Style Fuse Holder



Plastic Saddles

- 2312 1/2" Black
- 2313 3/4" Black



3AG Glass Fuses

- 2320 1Amp
- 2321 3Amp
- 2323 7.5Amp
- 2325 15Amp
- 2351 25Amp
- 2331 20Amp OMC
- 2354 2Amp
- 2322 5Amp
- 2324 10Amp
- 2326 20Amp
- 2327 30Amp

"P" Saddles

- 2360 6mm Black
- 2361 12mm Black



ELECTRIC PARTS

Tapes

- 1749 Isolation Tape 3/4" X 20 Mtrs
- 1749A Red Isolation Tape 3/4
- 1747 Isobond Self Amalgamating Black
- 1747W Isobond Self Amalgamating White
- 1748 Duct Tape

Heat Shrink

- 8300 5mm X 1Mtr Black
- 8301 5mm X 1Mtr Red
- 8306 8mm X 1Mtr Black
- 8307 10mm X 1Mtr Red
- 8309 20mm X 1Mtr Black
- 8310 20mm X 1Mtr Red



Other sizes Available on Request

Marine Cable

- 2308A FIG 8 3mm Tinned Marine
- 2308 4mm X 50Mtr Tinned Marine cable
- 2308A 6mm X 50Mtr Tinned Marine cable
- 2337 Battery cable Tinned 85 Amp
- 2337A Battery cable Cut lengths


Electrical Cable

- 2295 20Amp Single Core 4mm Black
- 2296 20Amp Single Core 4mm Red
- 2297 20Amp Single Core 4mm Green
- 2303 Twin Cable 3mm X 30Mtrs
- 2303A Single Cable 3mm X 8Mtrs
- 2304 Twin Cable 4mm X 30Mtrs
- 2305 Twin Sheathed Cable 3mm X 30Mtrs
- 2306 Twin Sheathed Cable 3mm X 100Mtrs

- 2307 Twin Sheathed Cable 4mm X 30Mtrs
- 2309 Twin Sheathed Cable 5mm X 30Mtrs
- 2309A Twin Sheathed Cable 6mm X 30Mtrs
- 2338 Battery cable Blk 200 Amp
- 2338A Battery cable Blk 370 Amp
- 2339 Battery cable Red 200 Amp
- 2339A Battery cable Red 370 Amp

Corrugated Flex Tubing (Loom Tubing)

This black UV stabilised tubing is good for concealing battery or steering cables and tidying up all those electrical wires.



- 8545 10.7mm X 30m
- 8545/10 10.7mm X 10m
- 8545A 13.8mm X 30m
- 8546 7.4mm X 50m
- 8547 15mm X 10m
- 8547A 28mm X 10m
- 8547B 19.5mm X 10m
- 8547C 48mm X 25m

Spirol Wrap


Handy Gas Pocket Torch



Fuelled By Cigarette
Lighter

New Larger Range of Electrical Terminals


Red for 3mm wire



Part No.
Waterproof
Stud size mm

| | | | | | |
|-------------------------|---------------------|---------------------|---------------------|------------|-------------|
| QKC01 RW1-3.5 3.5 | QKC02 RW1-4 4 | QKC03 RW1-5 5 | QKC04 RW1-6 6 | QKC05 8 | QKC06 10 |
|-------------------------|---------------------|---------------------|---------------------|------------|-------------|


Red for 3mm wire



Part No.
Waterproof
Stud size mm

| | | | | | | |
|-----------------------|---------------------|------------|----------------------|---------------------------|------------------------------|------|
| QKC07 SW1-4 3.5 | QKC08 SW1-5 4 | QKC09 5 | QKC10 BUTT PIN | QKC11 BUTT STANDARD | SEAM 11 BSW13.5 BUDGET | BSW1 |
|-----------------------|---------------------|------------|----------------------|---------------------------|------------------------------|------|

Red for 3mm wire



Part No.
Waterproof
Width mm

| | | | | | |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| QKC52 2.8 x .5 | QKC19 2.8 x .8 | QKC13 4.8 x .5 | QKC66 4.8 x .5 | QKC44 4.8 x .8 | QKC12 6.4 x .8 |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|

Red for 3mm wire



Part No.
Waterproof
Width mm

| | | | | | | |
|-------------------|------------------------------|------------------------------|-------------------|-------------------|------------------------------|------------------------------|
| QKC16 6.4 x .8 | QKC73 QWF1-6F 6.4 x .8 | QKC77 QWF1-6F 6.4 x .8 | QKC68 2.8 x .5 | QKC14 6.4 x .8 | QKC64 QWM1-6F 6.4 x .8 | QKC15 QWM1-6F 6.4 x .8 |
|-------------------|------------------------------|------------------------------|-------------------|-------------------|------------------------------|------------------------------|

Blue for 4 mm wire



Part No.
Waterproof
Width mm


| | | | | | |
|--------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| QKC30 PIN | QKC69 2.8 x .5 | QKC70 2.8 x .8 | QKC62 4.8 x .5 | QKC67 4.8 x .5 | QKC72 4.8 x .8 |
|--------------|-------------------|-------------------|-------------------|-------------------|-------------------|

Blue for 4 mm wire



Part No.
Water proof
Stud size mm

Blue for 4 mm wire




Part No.
Waterproof
Stud size mm

Blue for 4 mm wire




Part No.
Waterproof
Width mm

Yellow for 5-6 mm wire




Part No.
Waterproof
Stud size mm

Yellow for 5-6 mm wire



Part No.
Waterproof
Width mm

Yellow for 5-6 mm wire



Part No.
Waterproof
Width mm